




# TiVo Premiere XL4 Fan Replacement

How to replace a TiVo Premiere XL4 fan.

Written By: Frances Prewitt



---

## INTRODUCTION

This piece is necessary to cool down the TiVo when temperatures arise inside. if the TiVo suddenly shuts down, it may be because it is too hot inside. Learning how to cool your TiVo down is very important if you want it to work again.

---

### TOOLS:

- [T10 Torx Screwdriver](#) (1)
  - [T15 Torx Screwdriver](#) (1)
-

## Step 1 — Case



- Power down the TiVo Premiere XL4 by detaching the power cable from the unit and power source.
- ⚠ Allow the box to cool for at least 5 minutes before proceeding to the next step.

## Step 2




- Remove the four 80 mm T10 screws from the back of the TiVo box using the Torx screwdriver.

### Step 3




- Take the outer casing by sliding the top of the box off of the component carefully, making sure not to damage the surrounding components inside.

### Step 4 — Fan




- Use the Torx screwdriver to remove the four 100mm T15 screws.

## Step 5



- Follow the combined black and red cables to the connector that is connected to the motherboard.
- Pinch the connector and gently remove from the motherboard.

## Step 6



- Remove the fan from the TiVo unit.

To reassemble your device, follow these instructions in reverse order.