



# 2007 Hyundai Sonata Cabin Air Filter Replacement

This is a repair guide to help the air circulation in a 2007 Hyundai Sonata. This repair guide is a quick and easy repair.

Written By: Maria Galindo



## INTRODUCTION

Repairing a 2007 Hyundai Sonata cabin air filter will help the air flow in the car become cleaner and it may save gas for the user. It is a quick and easy repair that takes about seven different steps, and two steps to put everything back together. This repair does not include any tools, all that is needed is a new cabin air filter that can be picked up at a local auto store. It costs about \$18 to repair.



### PARTS:


- [Cabin Air Filter](#) (1)
-

## Step 1 — Cabin Air Filter



- Make sure the car is off and the passenger door is open.
- Locate the indent on the inner side of the door.

## Step 2



- Then gently pull until you hear three clicks.

### Step 3



- Open the glove box, and make sure nothing is in there.
- Next, gently push down until it comes loose from the clips on the left and right.



## Step 4



- Once the glove box is loose, locate latches, on the left and right top and bottom corners, and pinch together, at the same time, to free the air filter.

## Step 5



- Gently pull the air filter straight out.

## Step 6



- Push the air filter in the four corners to release the old one.

## Step 7



- Place the new air filter in the square and push the four corners to lock it into place.



## Step 8



- Place the filter back into the correct spot until you hear two clicks.

## Step 9



- Then, push the glove box up back into place.

## Step 10



- Next, place the dash cover, taken off in the first step, back into its location; listening for three clicks.